

DEPARTMENTWISE INSTRUMENTS AND EQUIPMENTS LIST AS PER MSR

(A). DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHYSIOLOGY LABORATORY

YEAR 20.... - 20....

Faculty: Ayurved

Name of College: College Code:

Sr.No	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1	Microscopes with oil immersion	Thirty	Fifty	<u>Yes</u>	Adequate
2	Westergen's pipette for ESR	Sixty	Hundred	<u>Yes</u>	Adequate
3	Haematocrit Tube	Sixty	Hundred	<u>Yes</u>	Adequate
4	Sahl's Haemoglobinometer	Sixty	Hundred	<u>Yes</u>	Adequate
5	Haemocytometer	Sixty	Hundred	<u>Yes</u>	Adequate
6	Electrocardiograph	One	One	<u>Yes</u>	Adequate
7	Stop watches	Sixty	Hundred	<u>Yes</u>	Adequate
8	Water Distillation still	One	One+	<u>Yes</u>	Adequate
9	Balances	One	One	<u>Yes</u>	Adequate
10	Centrifuge with speed control	Three	Six	<u>Yes</u>	Adequate
11	Colorimeter (photoelectric)	Three	Six	<u>Yes</u>	Adequate
12	pH meter Electric	One	One	<u>Yes</u>	Adequate
13	pH comparator with disc	One	One	<u>Yes</u>	Adequate
14	Sphygmomanometer	Thirty	Fifty	<u>Yes</u>	Adequate
15	Stethoscopes	Sixty	Hundred	<u>Yes</u>	Adequate
16	Clinical Thermometer	Sixty	Hundred	<u>Yes</u>	Adequate
17	Knee Hammer	Sixty	Hundred	<u>Yes</u>	Adequate
18	Tuning forks	Sixty	Hundred	<u>Yes</u>	Adequate
19	Sterilizer	Five	Five	<u>Yes</u>	Adequate
General					
20.	Refrigerator	One	One	<u>Yes</u>	Adequate
21.	Newton's colour wheel in a batch	One	One	<u>Yes</u>	Adequate
Miscellaneous					
22.	Cover slips, glassware, Microslides	Assorted		<u>Yes</u>	Adequate



Dr. Sundar Singh Danga

Dean/ Principal & Signature
 Jupiter Ayurved Medical College,
 Nagpur.

(B) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR DISSECTION HALL

S. No.	Instruments and Equipments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Tank with a capacity to preserve 2-4 bodies.		Assorted	<u>Yes</u>	Adequate
2.	Machines for bones and brain sectioning		Assorted	<u>Yes</u>	Adequate
3.	Dissection Sets	Fifteen Sets	Twenty-five sets	<u>Yes</u>	Adequate
4.	Dissecting Table			<u>Yes</u>	Adequate
a)	Full size with steel top or marble top stainless	Four	Six	<u>Yes</u>	Adequate
b)	Half size with steel top or marble top stainless	Eight	Ten	<u>Yes</u>	Adequate
General					
5.	X-ray viewing box or panels	Three	Three	<u>Yes</u>	Adequate
Miscellaneous					
6.	Bone cutter of the number $\frac{3}{4}$, $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$ - fine pointed Chisel bone dissector		Assorted	<u>Yes</u>	Adequate
7.	Glass jars of different sizes		Assorted	<u>Yes</u>	Adequate
8.	Preservative Chemicals		Assorted	<u>Yes</u>	Adequate

Dean/ Principal Stamp & Signature



Dr. Sundar Singh Danga
Principal

Jupiter Ayurved Medical College,
Nagpur.

Sr. No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Khalva Yantra-				
a)	Small	Ten	Twenty	<u>Yes</u>	Adequate
b)	Medium	Ten	Twenty	<u>Yes</u>	Adequate
c)	Porcelain	Ten	Twenty	<u>Yes</u>	Adequate
d)	Taptakhalvyantra	Two	Four	<u>Yes</u>	Adequate
2.	Pounding Apparatus (Ulukhala Yantra)	Ten	Twenty	<u>Yes</u>	Adequate
3.	Putas (Different kind)	Five	Ten	<u>Yes</u>	Adequate
4.	Moosha (Crucibles)	Thirty	Fifty	<u>Yes</u>	Adequate
5.	Koshi with Blower	Two	Four	<u>Yes</u>	Adequate
6.	Yantras				
a)	Dola Yantra	One	One	<u>Yes</u>	Adequate
b)	Valuka Yantra	One	One	<u>Yes</u>	Adequate
c)	Pithara Yantra	One	One	<u>Yes</u>	Adequate
d)	Bhudhara Yantra etc.	One	One	<u>Yes</u>	Adequate
7.	Distillation Apparatus and Arka Yantra	Three	Six	<u>Yes</u>	Adequate
8.	Kupipakva Bhatti	One	One	<u>Yes</u>	Adequate
General					
9.	Wet Grinder	One	One	<u>Yes</u>	Adequate
10.	Mixi	One	One	<u>Yes</u>	Adequate
11.	Juice Extractor	One	One	<u>Yes</u>	Adequate
12.	Refrigerator	One	One	<u>Yes</u>	Adequate
13.	Almiras and Racks for storage	Assorted			
14.	Balance (Different Capacities)				
a)	Physical	One	One	<u>Yes</u>	Adequate
b)	Chemical	One	One	<u>Yes</u>	Adequate
c)	Electronic Balance	One	One	<u>Yes</u>	Adequate
15.	Heating Device-				
a)	Gas Stove	Assorted		<u>Yes</u>	Adequate
b)	Hot plate	Assorted		<u>Yes</u>	Adequate
c)	Chulla (Charcoal)	Assorted		<u>Yes</u>	Adequate
16.	Big Vessels and Containers-				
a)	Brass	Assorted		<u>Yes</u>	Adequate

c)	Steel etc.	Assorted	<u>Yes</u>	Adequate
d)	Earthen Vessels-Pots	Assorted	<u>Yes</u>	Adequate
Miscellaneous				
17.	Jars(Porcelain) Fermentation Purpose	Assorted	<u>Yes</u>	Adequate
18.	Enamel Trays	Assorted	<u>Yes</u>	Adequate
19.	Spirit Lamp	Assorted	<u>Yes</u>	Adequate
20.	Pressure Cooker	Assorted	<u>Yes</u>	Adequate
21.	Measuring Equipments Different Size (Glass)	Assorted	<u>Yes</u>	Adequate
22.	Pyrometer	Assorted	<u>Yes</u>	Adequate
23.	Thermo meter	Assorted	<u>Yes</u>	Adequate
24.	Vessels		<u>Yes</u>	Adequate
a)	Frying Pan	Assorted	<u>Yes</u>	Adequate
b)	Steel Vessel	Assorted	<u>Yes</u>	Adequate
c)	Spatula	Assorted	<u>Yes</u>	Adequate
d)	Ladles and Spoons	Assorted	<u>Yes</u>	Adequate
e)	Knife	Assorted	<u>Yes</u>	Adequate
f)	Plates	Assorted	<u>Yes</u>	Adequate
g)	Samdamsa Yantra(Tongs)	Assorted	<u>Yes</u>	Adequate
25.	Sieves (Assorted Nos. and Size)	Assorted	<u>Yes</u>	Adequate

Dean/ Principal Stamp & Signature

Dr. Sundar Singh Danga

Principal

Jupiter Ayurved Medical College,
Nagpur.

(D) DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHARMACOGNOSY LABORATORY [DRAVYAGUNA]

S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Field magnifier	One	One	<u>Yes</u>	Adequate
2.	Compound microscope	One	One	<u>Yes</u>	Adequate
3.	Dissecting Microscope	One	One	<u>Yes</u>	Adequate
4.	Microscope	Fifteen	Twenty five	<u>Yes</u>	Adequate
5.	Electronic balance	One	Two	<u>Yes</u>	Adequate
Miscellaneous					
6.	Slides box with cover slips,		Assorted	<u>Yes</u>	Adequate
7.	Blotting/filter papers		Assorted	<u>Yes</u>	Adequate
8.	Dissection Box		Assorted	<u>Yes</u>	Adequate
9.	Enamel Trays		Assorted	<u>Yes</u>	Adequate
10.	Reagents-				
a.	Chloroform		Assorted	<u>Yes</u>	Adequate
b.	Alcohol.		Assorted	<u>Yes</u>	Adequate
c.	HCL		Assorted	<u>Yes</u>	Adequate
d.	Sulphuric acid		Assorted	<u>Yes</u>	Adequate
e.	Sodium, potassium hydroxide		Assorted	<u>Yes</u>	Adequate
f.	Benedict solution		Assorted	<u>Yes</u>	Adequate
g.	Sodium nitrate		Assorted	<u>Yes</u>	Adequate
h.	Potassium nitrate		Assorted	<u>Yes</u>	Adequate
i.	Citric acid		Assorted	<u>Yes</u>	Adequate
j.	Iodine		Assorted	<u>Yes</u>	Adequate
k.	Ethyl Alcohol		Assorted	<u>Yes</u>	Adequate
l.	Potassium Iodide		Assorted	<u>Yes</u>	Adequate
m.	Xylol/pure xylene (slide preparation)		Assorted	<u>Yes</u>	Adequate


Dean/ Principal Stamp & Signature
Dr. Sundar Singh Danga
Principal
Jupiter Ayurved Medical College,
Nagpur.

(E) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR ROGVIGYAN LABORATORY

S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Binocular microscope	Fifteen	Twenty five	<u>Yes</u>	Adequate
2.	Microscope with oil immersion	Fifteen	Twenty five	<u>Yes</u>	Adequate
3.	Monocular microscope with oil immersion lens20(c)	Fifteen	Twenty five	<u>Yes</u>	Adequate
4.	X-ray view box	One	One	<u>Yes</u>	Adequate
5.	Sahli's Square tube	Thirty	Fifty	<u>Yes</u>	Adequate
6.	Hb pipette	Thirty	Fifty	<u>Yes</u>	Adequate
7.	WBC Pipette	Thirty	Fifty	<u>Yes</u>	Adequate
8.	Dropper	Thirty	Fifty	<u>Yes</u>	Adequate
9.	Red cell pipette	Thirty	Fifty	<u>Yes</u>	Adequate
10.	Improved Neubauer chamber	Thirty	Fifty	<u>Yes</u>	Adequate
11.	Incubator	One	Two	<u>Yes</u>	Adequate
12.	Wintrobe's tube	Thirty	Fifty	<u>Yes</u>	Adequate
13.	Pasteur's pipette	Thirty	Fifty	<u>Yes</u>	Adequate
14.	Centrifuge Graduated Machine	One	Two	<u>Yes</u>	Adequate
15.	Westergrens pipette	Thirty	Fifty	<u>Yes</u>	Adequate
16.	Westergrens's stand	Thirty	Fifty	<u>Yes</u>	Adequate
17.	Urinometer	Thirty	Fifty	<u>Yes</u>	Adequate
18.	Autoclave	One	One	<u>Yes</u>	Adequate
19.	Ultraviolet lamp	One	One	<u>Yes</u>	Adequate
20.	Cell counter (haemautoanalyser)	One	One	<u>Yes</u>	Adequate
21.	BP Apparatus	Thirty	Fifty	<u>Yes</u>	Adequate
22.	Stethoscope	Thirty	Fifty	<u>Yes</u>	Adequate
23.	Thermometer	Thirty	Fifty	<u>Yes</u>	Adequate
24.	Tongue depressor	Thirty	Fifty	<u>Yes</u>	Adequate
25.	Stop watch	Thirty	Fifty	<u>Yes</u>	Adequate
General					
26.	Physical balance	One	One	<u>Yes</u>	Adequate
27.	Hot air oven	One	One	<u>Yes</u>	Adequate
28.	Bunsen burner	Thirty	Fifty	<u>Yes</u>	Adequate
29.	Refrigerator	One	One	<u>Yes</u>	Adequate

30.									
31.	Torch	Assorted	Assorted			<u>Yes</u>	Adequate		
32.	Knee hammer	Assorted	Assorted			<u>Yes</u>	Adequate		
33.	Measuring Tape	Assorted	Assorted			<u>Yes</u>	Adequate		
34.	ENT examination set	Assorted	Assorted			<u>Yes</u>	Adequate		
35.	Reflectors(Mirrors)	Assorted	Assorted			<u>Yes</u>	Adequate		
36.	Weighing machine	One	One			<u>Yes</u>	Adequate		
37.	Tuning Forks	Assorted	Assorted			<u>Yes</u>	Adequate		
38.	Nasal speculum	Assorted	Assorted			<u>Yes</u>	Adequate		
39.	Laryngoscope	Assorted	Assorted			<u>Yes</u>	Adequate		
40.	Catheters	Assorted	Assorted			<u>Yes</u>	Adequate		
41.	Probes	Assorted	Assorted			<u>Yes</u>	Adequate		
42.	HBs Ag kit	Assorted	Assorted			<u>Yes</u>	Adequate		
43.	HIV kit - Tridot (method by T Mitra)	Assorted	Assorted			<u>Yes</u>	Adequate		
44.	CT and BT kit	Assorted	Assorted			<u>Yes</u>	Adequate		
45.	Renal profile, LET kit, Lipid profile, Blood, Sugar kit	Assorted	Assorted			<u>Yes</u>	Adequate		
46.	Sterile disposable lancet/needle	Assorted	Assorted			<u>Yes</u>	Adequate		
47.	Glass rod	Assorted	Assorted			<u>Yes</u>	Adequate		
48.	Syringe needle destroyer	Assorted	Assorted			<u>Yes</u>	Adequate		
49.	Cover slip	Assorted	Assorted			<u>Yes</u>	Adequate		
50.	Cleaned slides	Assorted	Assorted			<u>Yes</u>	Adequate		
51.	Litmus paper	Assorted	Assorted			<u>Yes</u>	Adequate		
52.	pH indicator paper strips	Assorted	Assorted			<u>Yes</u>	Adequate		
53.	Test tube	Assorted	Assorted			<u>Yes</u>	Adequate		
54.	Separating funnels of various sizes	Assorted	Assorted			<u>Yes</u>	Adequate		
55.	Glass Jars with lid of different sizes	Assorted	Assorted			<u>Yes</u>	Adequate		
56.	Capillary Tubes	Assorted	Assorted			<u>Yes</u>	Adequate		
57.	Rubber sheat	Assorted	Assorted			<u>Yes</u>	Adequate		
58.	Magnifying lens	Assorted	Assorted			<u>Yes</u>	Adequate		
59.	Water bath	Assorted	Assorted			<u>Yes</u>	Adequate		
60.	Multi stix	Assorted	Assorted			<u>Yes</u>	Adequate		

Dr. Sundar Singh Danga

Dean/ Principal Stamp & Signature

Jupiter Ayurved Medical College,

Nagpur.

(F) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR LABOUR ROOM

S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
Essential				
1.	Shadowless Lamp	One	<u>Yes</u>	Adequate
2.	Suction Machine (Neonatal)	One	<u>Yes</u>	Adequate
3.	Oxygen Cylinder and Mask	One	<u>Yes</u>	Adequate
4.	FoetalToco Cardiograph	One	<u>Yes</u>	Adequate
5.	Radiant Warmer	One	<u>Yes</u>	Adequate
6.	Photo therapy Unit	One	<u>Yes</u>	Adequate
7.	Weighing Machine (Paediatric)	One	<u>Yes</u>	Adequate
8.	Patient trolley	Two	<u>Yes</u>	Adequate
9.	Anaesthesia trolley	One	<u>Yes</u>	Adequate
10.	Infantometer	One	<u>Yes</u>	Adequate
11.	Vacuum extractor	One	<u>Yes</u>	Adequate
12.	Foetal Doppler	One	<u>Yes</u>	Adequate
13.	Low cavity forceps	Two	<u>Yes</u>	Adequate
14.	Steriliser	Two	<u>Yes</u>	Adequate
15.	Machintosh rubber sheet	Assorted	<u>Yes</u>	Adequate
16.	Instruments for labour and Episiotomy. (Scissors, forceps, needle holders etc.)	Assorted	<u>Yes</u>	Adequate
17.	Baby tray	Two	<u>Yes</u>	Adequate
18.	Nebuliser	One	<u>Yes</u>	Adequate
19.	Foetoscope	Five	<u>Yes</u>	Adequate
20.	Auto Clave	One	<u>Yes</u>	Adequate
21.	Drums	Assorted	<u>Yes</u>	Adequate
22.	Instrumental Trolley	Assorted	<u>Yes</u>	Adequate
23.	OT tables and head Up and head Low facility	One	<u>Yes</u>	Adequate
24.	Pulse Oximeter	One	<u>Yes</u>	Adequate
25.	Resuscitation kit	One	<u>Yes</u>	Adequate
26.	Boyle's apparatus	One	<u>Yes</u>	Adequate
27.	Electrocautery	One	<u>Yes</u>	Adequate
28.	MTP Suction Machine	One	<u>Yes</u>	Adequate
29.	Anaesthesia Kit	One	<u>Yes</u>	Adequate
30.	Blunt and Sharp Curettes	Ten	<u>Yes</u>	Adequate
31.	Dilators set (Hegar's, Hawkins)	Five	<u>Yes</u>	Adequate

33.	Cusco's speculum	Five	Yes	Adequate
34.	Anterior Vaginal Wall retractor	Five	Yes	Adequate
35.	Uterine sound	Five	Yes	Adequate
36.	Volsellum	Five	Yes	Adequate
37.	MTP Suction Currate	Five	Yes	Adequate
38.	Retractors abdominal (Doyle's etc.)	Five	Yes	Adequate
39.	Sponge holding forceps	Five	Yes	Adequate
40.	Green armytage forceps	Five	Yes	Adequate
41.	Uterus holding forceps	Five	Yes	Adequate
42.	Kocher's forceps	Five	Yes	Adequate
43.	Artery forceps (Long, short, Mosquito)Each	Five	Yes	Adequate
44.	Scissors- different sizes	Five	Yes	Adequate
45.	Forceps obstetrics	Five	Yes	Adequate
46.	Endotrachial tubes	Five	Yes	Adequate
47.	Cord Cutting appliances	Five	Yes	Adequate
48.	I.U.C.D. removing hook	Five	Yes	Adequate
49.	Bladder Sound	Five	Yes	Adequate
50.	B.P. apparatus	Two	Yes	Adequate
Miscellaneous				
51.	HIV kit for emergency patients	Assorted	Yes	Adequate
52.	Plain and Hole towels	Assorted	Yes	Adequate
53.	Towel Clips	Assorted	Yes	Adequate
54.	Catguts and Thread	Assorted	Yes	Adequate
55.	Needles	Assorted	Yes	Adequate
56.	Needle holders	Assorted	Yes	Adequate

Dean/ Principal Stamp & Signature

Dr. Sundar Singh Danga

Principal

Jupiter Ayurved Medical College,
Nagpur.

(G) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OPERATION THEATRE

S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
I	Shalya:			
Essential				
1.	Spot light (Shadow less ceiling fitted)	One	<u>Yes</u>	Adequate
2.	Needle holding Forceps (big- medium-small)	Assorted	<u>Yes</u>	Adequate
3.	Dressing drums of Assorted size	Assorted	<u>Yes</u>	Adequate
4.	Drum stand	Assorted	<u>Yes</u>	Adequate
5.	IV Stand	Two	<u>Yes</u>	Adequate
6.	Cheates Forceps	Four	<u>Yes</u>	Adequate
7.	Mosquito forceps	Four	<u>Yes</u>	Adequate
8.	Scissors straight (Tailor)	Four	<u>Yes</u>	Adequate
9.	Scissors curved of different sizes	Five each	<u>Yes</u>	Adequate
10.	Stitch removal scissors	Five each	<u>Yes</u>	Adequate
11.	Dissection forceps	Four	<u>Yes</u>	Adequate
12.	Sinus Forceps	Four	<u>Yes</u>	Adequate
13.	Probes - Assorted size	Five each	<u>Yes</u>	Adequate
14.	Pointed scissors	Four	<u>Yes</u>	Adequate
15.	Abdominal Retractors	Five	<u>Yes</u>	Adequate
16.	Tissue Forceps	Five	<u>Yes</u>	Adequate
17.	Bob Kock's Forceps	Five	<u>Yes</u>	Adequate
18.	Kocher's Forceps	Five	<u>Yes</u>	Adequate
19.	Urethral Dilators	Five each	<u>Yes</u>	Adequate
20.	Metal Catheters	Five each	<u>Yes</u>	Adequate
21.	Sponge holding forceps	Four	<u>Yes</u>	Adequate
22.	Right Angle cholecystectomy Forceps	Four	<u>Yes</u>	Adequate
23.	Stone holding forceps	Four	<u>Yes</u>	Adequate
24.	Allies Forceps small	Four	<u>Yes</u>	Adequate
25.	Allies Forceps Big	Four	<u>Yes</u>	Adequate
26.	Artery Forceps small	Four	<u>Yes</u>	Adequate
27.	Artery Forceps big	Four	<u>Yes</u>	Adequate
28.	Artery Forceps Medium	Four	<u>Yes</u>	Adequate
29.	Sigmoidoscope Rigid/flexible	One	<u>Yes</u>	Adequate
30.	Barron Pile's Gun	Two	<u>Yes</u>	Adequate
31.	Laryngoscope Pediatric/Adult	One	<u>Yes</u>	Adequate
32.	Boyles Apparatus	One	<u>Yes</u>	Adequate
33.	Multi-parameter Monitor	One	<u>Yes</u>	Adequate

35.	Suction machine Electrical or Manual	One	Assorted	<u>Yes</u>	Adequate
36.	Skin grafting knife with handle	Assorted		<u>Yes</u>	Adequate
37.	Surgical blades of different size	Assorted		<u>Yes</u>	Adequate
38.	Self-Retaining Retractor	Assorted		<u>Yes</u>	Adequate
39.	Bone cutter	Two		<u>Yes</u>	Adequate
40.	Gigli Saw	Two		<u>Yes</u>	Adequate
41.	Scoop	Assorted		<u>Yes</u>	Adequate
42.	Periosteum elevator	Two		<u>Yes</u>	Adequate
43.	Maggles Forceps	Assorted		<u>Yes</u>	Adequate
44.	High Pressure Autoclave	One		<u>Yes</u>	Adequate
45.	Nitrous Oxide Cylinder	One		<u>Yes</u>	Adequate
46.	Hydraulic Operation Table	One		<u>Yes</u>	Adequate
47.	Boyle's Apparatus	One		<u>Yes</u>	Adequate
48.	Instrument Trolley	Assorted		<u>Yes</u>	Adequate
49.	Endotracheal Tube	Assorted		<u>Yes</u>	Adequate
50.	Proctoscope with or without illumination	Two		<u>Yes</u>	Adequate
51.	Gabrial Syringe	One		<u>Yes</u>	Adequate
52.	Strecher with trolley	Two		<u>Yes</u>	Adequate
53.	Suction Machine	Assorted		<u>Yes</u>	Adequate
General					
54.	Emergency power back up facility	Assorted		<u>Yes</u>	Adequate
55.	Emergency light	Four		<u>Yes</u>	Adequate
56.	Fire Extinguisher	Two		<u>Yes</u>	Adequate
57.	BP Apparatus	Assorted		<u>Yes</u>	Adequate
58.	Fumigator	One		<u>Yes</u>	Adequate
59.	Refrigerator	One		<u>Yes</u>	Adequate
60.	X-ray View Box (double)	Two		<u>Yes</u>	Adequate
61.	Revolving Stool	Assorted		<u>Yes</u>	Adequate
62.	Vertical BP Instrument	One		<u>Yes</u>	Adequate
63.	Rubber catheters of Assorted size	Assorted		<u>Yes</u>	Adequate
Miscellaneous					
64.	Corrugated rubber drain	Assorted		<u>Yes</u>	Adequate
65.	Suturing Needle (straight/curved) of Assorted size	Assorted		<u>Yes</u>	Adequate
66.	Surgical Thread	Assorted		<u>Yes</u>	Adequate
67.	BP Handle of different size	Assorted		<u>Yes</u>	Adequate
68.	Needle holder	Assorted		<u>Yes</u>	Adequate
II					
Shalakyra: Ophthalmic Equipment or Instruments for Operative Surgery					
Essential					

70.	Sterilizing box/case with matus	Assorted	<u>Yes</u>	Adequate
71.	Lens insertion Forceps	Assorted	<u>Yes</u>	Adequate
72.	Keratome	Assorted	<u>Yes</u>	Adequate
73.	Desmarres lid retractors	Assorted	<u>Yes</u>	Adequate
74.	Cat-paw lacrimal retractor	Assorted	<u>Yes</u>	Adequate
75.	Mueller lacrimal sac retractor	Assorted	<u>Yes</u>	Adequate
76.	Dastoor iris retractor	Assorted	<u>Yes</u>	Adequate
77.	Meyrhofer Chalazioncurette	Assorted	<u>Yes</u>	Adequate
78.	Sinsky lens manipulating hook	Assorted	<u>Yes</u>	Adequate
79.	IOL Manipulator	Assorted	<u>Yes</u>	Adequate
80.	Foreign body spud	Assorted	<u>Yes</u>	Adequate
81.	Lewis lens loop (vectis)	Assorted	<u>Yes</u>	Adequate
82.	Cystotome and spoon	Assorted	<u>Yes</u>	Adequate
83.	Mule Evisceration spoon	Assorted	<u>Yes</u>	Adequate
84.	Iris repository (double-ended)	Assorted	<u>Yes</u>	Adequate
85.	Jameson muscle hook	Assorted	<u>Yes</u>	Adequate
86.	Wills cautery with copper ball-point	Assorted	<u>Yes</u>	Adequate
87.	Langs lacrimal sac dissector	Assorted	<u>Yes</u>	Adequate
88.	Kelly Glaucoma punch	Assorted	<u>Yes</u>	Adequate
89.	Elevator (double ended)	Assorted	<u>Yes</u>	Adequate
90.	Nasal speculum adult/child	Assorted	<u>Yes</u>	Adequate
91.	Wilder punctum Dilator	Assorted	<u>Yes</u>	Adequate
92.	Bowman lacrimal probes	Assorted	<u>Yes</u>	Adequate
93.	Hartman mosquito forceps	Assorted	<u>Yes</u>	Adequate
94.	Colibri forceps 1*2 teeth	Assorted	<u>Yes</u>	Adequate
95.	Mc. person corneal forceps with tying platform	Assorted	<u>Yes</u>	Adequate
96.	Dressing forceps, serrated	Assorted	<u>Yes</u>	Adequate
97.	Moorfieldconjunctival forceps	Assorted	<u>Yes</u>	Adequate
98.	Fixation forceps	Assorted	<u>Yes</u>	Adequate
99.	Beer cilea (epilation) forceps	Assorted	<u>Yes</u>	Adequate
100.	Arruga capsular forceps	Assorted	<u>Yes</u>	Adequate
101.	Snellen Entropion clamp	Assorted	<u>Yes</u>	Adequate
102.	Chalazion clamps	Assorted	<u>Yes</u>	Adequate
103.	Vannas straight scissors	Assorted	<u>Yes</u>	Adequate
104.	Barraguer needle holder	Assorted	<u>Yes</u>	Adequate
105.	Air injection cannula	Assorted	<u>Yes</u>	Adequate
106.	Healon aspirating cannula	Assorted	<u>Yes</u>	Adequate
107.	AC washout cannula	Assorted	<u>Yes</u>	Adequate
108.	Lacrimal cannula	Assorted	<u>Yes</u>	Adequate
109.	Hydrodialysis cannula	Assorted	<u>Yes</u>	Adequate

112.	Irrigating aspirating handle	Assorted	<u>Yes</u>	Adequate
113.	Lens dialer	Assorted	<u>Yes</u>	Adequate
114.	Superior Rectus forceps	Assorted	<u>Yes</u>	Adequate
115.	Eye wash glasses (for Tarpana Karma)	Assorted	<u>Yes</u>	Adequate
116.	Swimming Goggles (for Tarpana Karma)	Assorted	<u>Yes</u>	Adequate
III	ENT-Surgical or Operative Procedural Instruments			
Essential				
117.	Aural Syringe	Assorted	<u>Yes</u>	Adequate
118.	Jobson's Aural Probe	Assorted	<u>Yes</u>	Adequate
119.	Eustachian Catheter	Assorted	<u>Yes</u>	Adequate
120.	Mastoid Retractor	Assorted	<u>Yes</u>	Adequate
121.	Mastoid Gouge	Assorted	<u>Yes</u>	Adequate
122.	Mallet	Assorted	<u>Yes</u>	Adequate
123.	Nasal Foreign Body hook	Assorted	<u>Yes</u>	Adequate
124.	Nasal packing forceps	Assorted	<u>Yes</u>	Adequate
125.	Nasal Snare	Assorted	<u>Yes</u>	Adequate
126.	Bayonet Shaped gouge	Assorted	<u>Yes</u>	Adequate
127.	Walsham forceps	Assorted	<u>Yes</u>	Adequate
128.	Laryngeal forceps	Assorted	<u>Yes</u>	Adequate
129.	Tongue plate with throat suction	Assorted	<u>Yes</u>	Adequate
130.	Tonsil holding forceps	Assorted	<u>Yes</u>	Adequate
131.	Tonsillar suction	Assorted	<u>Yes</u>	Adequate
132.	Adenoid curette with cage	Assorted	<u>Yes</u>	Adequate
133.	Peritonsillarabcess draining forceps	Assorted	<u>Yes</u>	Adequate
134.	Fuller's Tracheostomy Tube	Assorted	<u>Yes</u>	Adequate
135.	Cheatel's Forceps	Assorted	<u>Yes</u>	Adequate
Miscellaneous				
136.	Other consumable articles like gloves, syringes, bandages, sutras, etc.	Assorted	<u>Yes</u>	Adequate

Dean/ Principal Stamp & Signature

Dr. Sundar Singh Danga

Principal

Jupiter Ayurved Medical College,
Nagpur.

S. No.	Name of Out Patient Department	Article required as per norms of CCIM	Required Quantity	Details on College Website	Adequate/ Inadequate
1	Kayachikitsa				
		Essential			
		X-Ray View Box	One	<u>Yes</u>	Adequate
		BP Apparatus	Two	<u>Yes</u>	Adequate
		Stethoscope	Four	<u>Yes</u>	Adequate
		Torch	Two	<u>Yes</u>	Adequate
		Examination Table	One	<u>Yes</u>	Adequate
		Thermometer	Four	<u>Yes</u>	Adequate
		Tongue depressor	Five	<u>Yes</u>	Adequate
		Weight and height measuring stand	One	<u>Yes</u>	Adequate
		Measuring tape	One	<u>Yes</u>	Adequate
		Knee Hammer	Two	<u>Yes</u>	Adequate
		Miscellaneous			
		Gloves	Assorted	<u>Yes</u>	Adequate
2	Shalya				
		Essential			
		X-Ray Viewing Box	One	<u>Yes</u>	Adequate
		Stethoscope	Four	<u>Yes</u>	Adequate
		Instruments for ano-rectal examination	Two sets	<u>Yes</u>	Adequate
		Examination Table	One	<u>Yes</u>	Adequate
		BP Apparatus	Two	<u>Yes</u>	Adequate
		Thermometer	Four	<u>Yes</u>	Adequate
		Torch	Assorted	<u>Yes</u>	Adequate
		Cheate forceps	Assorted	<u>Yes</u>	Adequate
		General			
		Minor OT	Assorted	<u>Yes</u>	Adequate
		Miscellaneous			
		Surgical Blades	Assorted	<u>Yes</u>	Adequate
3	Shalakya				
		Essential			
		Tuning forks	Assorted	<u>Yes</u>	Adequate
		Ophthalmoscope/ fundoscope	Two	<u>Yes</u>	Adequate
		Auroscope	Two	<u>Yes</u>	Adequate
		Examination Table	One	<u>Yes</u>	Adequate
		X-Ray Viewing Box	One	<u>Yes</u>	Adequate
		BP Apparatus	Two	<u>Yes</u>	Adequate
		Stethoscope	Four	<u>Yes</u>	Adequate

		Torch	Two	<u>Yes</u>	Adequate
		Bull's lamp	One	<u>Yes</u>	Adequate
4	Prasuti and Stri Roga				
	Essential				
		Weighing machine	One	<u>Yes</u>	Adequate
		Sims's speculum	Two	<u>Yes</u>	Adequate
		Thermometer	Four	<u>Yes</u>	Adequate
		Cusco's speculum	Two	<u>Yes</u>	Adequate
		Examination Table	One	<u>Yes</u>	Adequate
		Lamp stand	One	<u>Yes</u>	Adequate
		Torch	Two	<u>Yes</u>	Adequate
		X-Ray Viewing Box	One	<u>Yes</u>	Adequate
		BP Apparatus	Two	<u>Yes</u>	Adequate
		Stethoscope	Four	<u>Yes</u>	Adequate
		Measuring tape	Two	<u>Yes</u>	Adequate
5	Bal Roga				
	Essential				
		Scale	One	<u>Yes</u>	Adequate
		Weighing machine	One	<u>Yes</u>	Adequate
		Torch	Two	<u>Yes</u>	Adequate
		X-Ray View Box	One	<u>Yes</u>	Adequate
		Thermometer	Four	<u>Yes</u>	Adequate
		BP Apparatus with Pediatric cuff	Two	<u>Yes</u>	Adequate
		Stethoscope	Assorted	<u>Yes</u>	Adequate
		Examination Table	Assorted	<u>Yes</u>	Adequate
6	Panchkarma	As per Kayachikitsa			
7	Yoga Section (Swasth Rakshashan)	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	<u>Yes</u>	Adequate
8	Emergency	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	<u>Yes</u>	Adequate

Dr. Sundar Singh Danga
Principal

Jupiter Ayurved Medical College,

Dean/ Principal Stamp & Signature